



宁波三鑫
NingBo SanXin



PRODUCT MANUAL

Ningbo Sanxin Electric factory

ADD: No.11 ChangQian Road GuanShen Bridge DaQi Town BeiLun NingBo City China.


M.P.: +86-13706125358

E-mail: sales@sanxincz.com, judy@sanxincz.com, sales@nbxinhai.com

MSN: hxuan2001@hotmail.com Skype: hxuan2001

Web: www.sanxincz.com, www.nbxinhai.com

www.blxinhai.en.alibaba.com



COP-T08



COP-T07





COP-T06




FT-T06-1



FT-T06-2



FT-T06-1



FT-T06-2


Full Height Solntion

Front Swing Panel
Side Wall Hing






JPS-218



FT-218-1



FT-218-2

Feature&Specification


- Face plate: mirror finished stainless steel, hairline-finished stainless steel, titaniumfinished stainless steel
- Button model can be selected
- Super-thin indicator core: signal input mode: 7 segment, BCD code, grey code or binary code
- "OVERLOAD" are displayed
- Internal error detection and correction function box
- Hinged face plate can be opened from left or right

Instaiiation Dimension(mm)



Landing	Face size A(mm)	Box size B(mm)
2-16	1400*200	1370*166*70
17-24	1660*200	1630*166*70



JPS-219



FT-219-1




FT-219-2

Feature&Specification


- Face plate: mirror finished stainless steel, hairline-finished stainless steel, titaniumfinished stainless steel
- Button model can be selected
- Super-thin indicator core: signal input mode: 7 segment, BCD code, grey code or binary code
- "OVERLOAD" are displayed
- Internal error detection and correction function box
- Hinged face plate can be opened from left or right

Instaiiation Dimension(mm)

Landing	Face size A(mm)	Box size B(mm)
2-16	1400*200	1370*166*70
17-24	1660*200	1630*166*70



JPS-220




Feature&Specification


- Face plate: mirror finished stainless steel, hairline-finished stainless steel, titaniumfinished stainless steel
- Button model can be selected
- Super-thin indicator core: signal input mode: 7 segment, BCD code, grey code or binary code
- "OVERLOAD" are displayed
- Internal error detection and correction function box
- Hinged face plate can be opened from left or right

Instaiiation Dimension(mm)

Landing	Face size A(mm)	Box size B(mm)
2-16	1400*200	1370*166*70
17-24	1660*200	1630*166*70



JPS-221



Feature&Specification



- Black mirror stainless steel panel
- Button model can be selected
- Super-thin indicator core: signal input mode: 7 segment, BCD code, grey code or binary code
- "OVERLOAD" are displayed
- Internal error detection and correction function box
- Hinged face plate can be opened from left or right

Instaiiation Dimension(mm)


Landing	Face size A(mm)	Box size B(mm)
2-16	1400*200	1370*166*70
17-24	1660*200	1630*166*70



JPS-222



FT-222-1



FT-222-2

Feature&Specification


- Face plate: mirror finished stainless steel, hairline-finished stainless steel, titaniumfinished stainless steel
- Button model can be selected
- Super-thin indicator core: signal input mode: 7 segment, BCD code, grey code or binary code
- "OVERLOAD" are displayed
- Internal error detection and correction function box
- Hinged face plate can be opened from left or right

Instaiiation Dimension(mm)


Landing	Face size A(mm)	Box size B(mm)
2-16	1400*200	1370*160*70
17-24	1660*200	1630*160*70



JPS-223



FT-223-1



FT-223-2

Feature&Specification


- Face plate: mirror finished stainless steel, hairline-finished stainless steel, titaniumfinished stainless steel
- Button model can be selected
- Super-thin indicator core: signal input mode: 7 segment, BCD code, grey code or binary code
- "OVERLOAD" are displayed
- Internal error detection and correction function box
- Hinged face plate can be opened from left or right

Instaiiation Dimension(mm)


Landing	Face size A(mm)	Box size B(mm)
2-16	1400*180	1370*160*70
17-24	1660*180	1630*160*70



JPS-224



FT-224-1



FT-224-2

Feature&Specification


- Face plate: mirror finished stainless steel, hairline-finished stainless steel, titaniumfinished stainless steel
- Button model can be selected
- Super-thin indicator core: signal input mode: 7 segment, BCD code, grey code or binary code
- "OVERLOAD" are displayed
- Internal error detection and correction function box
- Hinged face plate can be opened from left or right

Instaiiation Dimension(mm)


Landing	Face size A(mm)	Box size B(mm)
2-16	1400*180	1370*165*70
17-24	1660*180	1630*165*70



JPS-225



FT-225-1




FT-225-2

Feature&Specification

- Aluminum alloy frame with stainless steel in the middle
- Button model can be selected
- Super-thin indicator core: signal input mode: 7 segment, BCD code, grey code or binary code
- "OVERLOAD" are displayed
- Internal error detection and correction function box
- Hinged face plate can be opened from left or right


Instaiiation Dimension(mm)

Landing	Face size A(mm)	Box size B(mm)
2-16	1400*186	1360*165*70
17-24	1660*186	1620*165*70



JPS-226

JPS-227 Touch Button



LOP-370-1

LOP-370-2




Feature&Specification

- Mirror stainless steel frame, with acrylic panel in the middle
- Button model can be selected
- Super-thin indicator core: signal input mode: 7 segment, BCD code, grey code or binary code
- "OVERLOAD" are displayed
- Internal error detection and correction function box
- Hinged face plate can be opened from left or right

Instaiiation Dimension(mm)

Landing	Face size A(mm)	Box size B(mm)
2-16	1300*200	1300*200*20
17-24	1300*230	1300*230*20


JPS-228
Touch Button


FT-228

Feature&Specification

- Tempered glass panel
- Touch sensor button
- Super-thin indicator core: signal input mode: 7 segment, BCD code, grey code or binary code
- "OVERLOAD" are displayed
- Internal error detection and correction function box
- Hinged face plate can be opened from left or right
- Panel is made of tempered glass, with sensor button

Instaiiation Dimension(mm)

Landing	Face size A(mm)	Box size B(mm)
2-16	1300*200	1260*170*60




JPS-229

JPS-230



LOP-231



LOP-229

LOP-230



COP-J04



COP-J05



DF-880



COP-J06



COP-J03



DF-890



LOP-330

LOP-350

LOP-370-1

LOP-370-2



LOP-380-A



LOP-380B



LOP-390



FS-G219

Integrated operation panel



CM-373



CM-370



CM-374



CM-375



CM-372



CM-371



AK-58A

Black titanium mirror face

Stainless steel frame

Hole Size: 37.3*37.3 4R4.5




AK-58B

Stainless steel hairline face

Stainless steel frame

Hole Size: 37.3*37.3 4R4.5



型号:AK-58C

Arylic face

Stainless steel frame

Hole Size: 37.3*37.3 4R4.5



型号:AK-59

Stainless steel hairline face

Stainless steel frame

Hole Size: Φ35.8



型号:AK-31

Stainless steel hairline face

Stainless steel frame

Hole Size: Φ35.8



型号:AK-52

Stainless steel hairline face

Aluminium alloy frame

Hole Size: Φ34.2 Side32.3



型号:AK-50

Stainless steel hairline face

Stainless steel frame

Hole Size: Φ37.2 Side35.8



型号:AK-51

Zinc alloy face

Zinc alloy frame

Hole Size: Φ34.2 Side32.3



型号:AK-54

Stainless steel hairline face

Aluminium alloy frame

Hole Size: Φ37.2 Side35.8



型号:AK-53

Stainless steel hairline face

Zinc alloy frame

Hole Size: Φ37.2 Side35.8